



DEXRON® VI

DESCRIPTION:

DEXRON®-VI is a high performance, full synthetic ATF that meets or exceeds the stringent requirements of GM's DEXRON®-VI specification. It also provides improved performance in older GM vehicles, wherever DEXRON® is specified. GM License Number J-60204.

FEATURES/BENEFITS:

- Outstanding resistance against sludge and deposit formation
- Improved oxidation and thermal stability
- Excellent frictional properties that provide smooth gear shifting
- Improved anti-wear protection
- Outstanding low temperature performance

APPLICATIONS:

DEXRON®-VI ATF is recommended for 2006 and newer GM vehicles requiring Dexron® VI fluid. It can also be used in older GM vehicles requiring Dexron® III or older fluids.

Meets the following OEM requirements:

- GM Dexron® VI
- Mercon® LV

**See below for additional Suitable for Use (SFU) claims

* ALWAYS CONSULT YOUR OWNER'S MANUAL FOR THE PROPER FLUID FOR YOUR EQUIPMENT.

TYPICAL TEST DATA

Product Specifications	Results
Specific Gravity @ 60 °F	0.8470
Viscosity, Kinematic cSt at 40°C	28.8
cSt at 100°C	5.9
Viscosity Index	154
Viscosity, Brookfield cP at -40°C Max	12,000
Flash Point, °F	401
Pour Point, °C (°F)	-49 (-56)
Color	RED

Typical test data are average values only. Minor variations which do not affect product performance are to be expected during normal manufacturing.



Suitable For Use:

Acura ATF-Z1 (1)
Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS)
Allison C-3 & C-4
American Motors ATF +3 (MS7176-E)
ATF RED 1, RED 1K
Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)
Audi/VW G 052 025-A2
Audi/VW G 053 025-A2
Audi/VW G 052 162-A1/A2
Audi/VW G 055 025 A2 (JWS 3309)
Audi/VW G 052 162 (ZF Lifeguard fluid 5) (ZF No. S671 090 170)
Audi/VW G 055 162-A2, -A6 (ZF Lifeguard fluid 6 Plus) (ZF No. S671 090 281)
Audi/VW G 060 162 (ZF Lifeguard fluid 8) (ZF No. S671 090 312)
Audi/VW G 052 162 (ZF Lifeguard fluid 5) (ZF No. S671 090 170)
Audi/VW G 052 990
Audi/VW G 055 540 (A2)
Audi/VW G 052 055
Bentley PY112995PA
BMW JWS 3309 (T-IV)
BMW LA2634
BMW LT71141 (ZF 5 HP 18FL/19FL/24A)
BMW ZF 5HP18FL, 5HP24, 5HP30
BMW 7045E
BMW ETL-8072B
BMW MINI
Bosch TE-ML 09
CAT TO-2
Chrysler ATF+, +2, +3 (MS 7176E)
Chrysler/Dodge MOPAR AS 68 RC (T-IV), JWS 3309
Chrysler/Dodge/Jeep 05127382AA
Chrysler/Dodge/Jeep 68043742AA
Chrysler/Dodge/Jeep 68157995AA
Chrysler/Dodge/Jeep 68157995AB
Chrysler/Dodge/Jeep 68218925AA
Chrysler/Dodge/Jeep 68171866AA
Daewoo LT 71141
Daihatsu AMMIX ATF D-II
Daihatsu AMMIX ATF D-III SP
Esso LT 71141
FIAT T-IV type, JWS 3309
Ford MERCON®
Ford MERCON® LV (FF-WSS-M2C-938A/SF, XT-10 QLV) (2) Licensable
Ford FNR5 (Mazda M5, XT-9-QMM5)
Ford WSS M2C 138CJ, 166H
Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309
Ford/Lincoln/Mercury XT-2-QDX (M)



Ford/Lincoln/Mercury XT-2-QSM (Syn)
Ford ESP-M2C166H, XL-12
Fuso ATF-II
Fuso ATF-SPIII
Fuso ATF-A4
GM9986195 (Aisin AW, JWS 3309)
GM TASA
GM DEXRON®-II
GM DEXRON®-IID
GM DEXRON®-IIE
GM DEXRON®-IIIG
GM DEXRON®-IIIH
GM DEXRON®-VI Licensable
GM 1940700
GM 1940767
GM 21005966
GM 22717466
GM 88900925
GM 9986195
GM 93160393
GM/GMC/Opel/Saturn AW1
GM/GMC/Opel/Saturn VI
GM/GMC/Opel/Saturn 88863400
GM/GMC/Opel/Saturn 88863401
Hino Blue Ribbon ATF
Honda ATF-Z1 (except in CVTs)
Honda DW-1
Honda ATF-Z1 (except in CVTs)
Honda ATF Ultra II
Honda DW-1
Honda Type 3.0
Honda Type 3.1
Hyundai/Kia SP-IV (00232-1904/04500-00115)
Hyundai/Kia SP-IV
Hyundai/Kia SP-IV M
Hyundai/Kia SP-IV-RR
Hyundai/Kia SP-III
Hyundai/Kia Dex-II/ SP-II
Hyundai/Kia JWS 3314
Hyundai/Kia JWS 9683
Idemitsu K17 3100 PL085
ISUZU BESCO ATF-II
ISUZU BESCO ATF-III
ISUZU BESCO ATF SP
ISUZU SCS Fluid
ISUZU 08200-9001
Jaguar ATF 3403 M115, ATF 3403-M115
Jaguar ATF LT71141, ZF 5HP24



Jaguar JLM20238
Jaguar ATF 3403 JLM20238
Jaguar K17
Jaguar JLM 20292
Jaguar Fluid 8432
Jaguar 02JDE26444
Jaguar WSS-M2C922A1
JASO M315-2013 1A
JASO M315-2013 1A-LV
JASO M315-2013 2A
JEEP ATF+3
Lexus JWS 3309
KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1
Land Rover LR023288
Lexus JWS 3309
MAN 339A
Mazda ATF D-II
Mazda ATF M-III
Mazda ATF M-V
Mazda ATF FZ
Mazda ATF F-1
Mazda ATF S-1
Mazda ATF N-1
MAZDA ATF 3317
MB ZF 4HP20
MINI COOPER T-IV
Mitsubishi Diaqueen SK
Mitsubishi Diaqueen SP-II
Mitsubishi Diaqueen SP-III
Mitsubishi Diaqueen SP-IV
Mitsubishi Diaqueen AW
Mitsubishi Diaqueen J2
Mitsubishi Diaqueen J3
Mitsubishi Diaqueen ATF PA
NAG 1 (Chrysler, Jeep, Cherokee)
Nissan Matic Fluid C
Nissan Matic Fluid D
Nissan Matic Fluid J
Nissan Matic Fluid K
Nissan Matic Fluid S
Opel/GM 19 40 700
Opel/GM 19 40 767
Opel/GM 21005966 Transaxle
Opel/GM 22 17466
Opel/GM 88900925
Opel/GM 9986195
Peugeot ZF 4HP20
Peugeot/Citreon Z 000169756



Peugeot/Citreon (PSA) AL4 Automatic gearbox oil (#9730.AE)
Porsche ZF 5HP19FL, ZF 5HP20, LT71141
Porsche ATF 3403-M115
Porsche T-IV (JWS 3309)
Porsche Z 000169756
Renault DPO/AL4
Renault Matic D2
Renault Samsung SATF-D
Saab T-IV (JWS 3309)
Saab 93 165 147
Saab 93 160 393
Saturn T-IV (JWS 3309)
Scion (all vehicles)
Shell 3403, M115, LA 2634
Shell L 12108
Ssang yong DSIH 5M-66
Subaru ATF
Subaru K0140Y0700
Subaru ATF 5AT
Subaru DEXRON®-II
Subaru ATF, ATF HP
Suzuki ATF AW-1
Suzuki AT OIL 5D06
Suzuki ATF 2326
Suzuki ATF 2384K
Suzuki JWS 3309
Suzuki ATF 3314
Suzuki ATF 3317
Texaco 7045-E
Texaco 8072B
Texaco N402
Toyota ATF D-II
Toyota ATF D-III
Toyota ATF T-III
Toyota ATF T-IV
Toyota ATF WS
Toyota Hybrid
Vickers M2950-S, I-286-S
Voith 55.6335.xx (G607) Note: (G607) is the old nomenclature for the claim
Voith Svc Bltn #013 and #118
Volvo 97325
Volvo 97335
Volvo CE 97340
Volvo PN 1161521
Volvo PN 1161540/1161640
Volvo PN 31256774/31256675
Volvo PN 1161621
VW 5 HP (ZF 5 HP 30)



VW 5HP (18FL, 30)
VW 5HP (19FL, 24A)
VW G-055-025 A2 (JWS 3309)
VW G055 540 (A2)
VW G 052 162 (ZF Lifeguardfluid 5)
VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus)
VW G 060 162 (ZF Lifeguardfluid 8)
VW G US 000 162
VW TL 521 62
ZF all 3 & 4 speed transmission
ZF 8 speed transmissions
ZF 9 speed transmissions
ZF TE-ML 05L
ZF TE-ML 09
ZF TE-ML 11A, 11B
ZF TE-ML 21L

- (1) "SFU" = This product is suitable for use against the given claim or performance
(2) "Licensable" = This product can secure a formal license.
(3) "Approvable" = This product can secure particular approvals from Voith and ZF

Not to be used for DCT or CVT applications

This data sheet supersedes any previous versions prior to 2-21-2019